



Striving for Excellence

BAKING IS
ALWAYS
FUN AND
EFFORTLESS

BAKERY PRODUCT BROCHURE

www.janshaktiindia.com

PLANETARY MIXER-TABLE TOP

MODEL	SM-5L	SM-7L
Capacity(liter)	5	7
Agitator speed(rpm) 1st-10th	0-300	100-938
Power(kw)	0.32	0.35
Outside dimension(mm) (W*D*H)	234X389X400	231 X409X424
Weight(kg)	12	16
Standard attachment	bowl, beater, hook & whipping ball	



PLANETARY MIXER-TABLE TOP



5.0L PROFESSIONAL TILT HEAD STAND MIXER



7.0L PROFESSIONAL TILT HEAD STAND MIXER

MODEL	5.0L PROFESSIONAL	7.0L PROFESSIONAL
Wattage	800W	1500W
Motor Type	dc high torque motor	800W Dc High Torque Motor
Voltage	220-240v	220-240v
Frequency	50/60hz	50/60hz
Material Body	aluminium die-cats housing	Aluminium Die-cats Housing
Type Speed Control	manual rotating knob	Manual Rotating Knob
Dimensions Product	39cmx28cmx36cm	46cmx31cmx41cm
Functions	8 speedsmanual speed control	Time & Countdown dough kneading function shuffling beating function fine mixing function rapid mixing function play - pause - restart
Max Capacity	1.00 kg all purpose flour	2.25 kg flour
	0.80 kg whole wheat flour	2l fresh cream
	1l fresh cream	20 egg whites
	12 egg whites	

PLANETARY MIXER MACHINE

MODEL	SM-101	SM-201	SM-401
Capacity(liter)	10	20	40
Agitator Speed(rpm)	148/307 /509	12712871534	105/208/404
1st/2nd/3rd speed			
Power[kw]	0.25	0.5	0.75
Outside Dimensio (mm) (W*D*H)	430X430X700	510X530X830	620X670X1000
Weight[kg]	60	94	170
Option	spiral hook	spiral hook	spiral hook



SPIRAL MIXER MACHINE

MODEL	SM2-25	SM2-50T
Capacity(kg) Flour	12.5	25
Capacity(kg) Dough	25	50
Spiral Power(kw)	2.2	3
Bowl Power(kw)	/	0.75
Spiral Speed(rpm) 1st Speed	140	135
Spiral Speed(rpm) 2nd Speed	280	270
Bowl Speed(rpm) 1st Speed	12.8	17.8
Bowl Speed(rpm) 2nd Speed	25.5	17.8
Weight(kg)	155	285
Outside Dimension(mm) (W*D*H)		



BREAD SLICER-TABLE TOP

MODEL	SM-302N
Motor Power(kw)	0.18
Weight(kg)	70
Max Dimension of Bread (mm) (Length)	360
Max Dimension of Bread (mm) (Height)	130
Outside Dimension(mm) (W*D*H)	556X720X720
Slicing Thickness	
standard 12mm, other thickness(9mm-48mm) can be customized	



DOUGH SHEETER HEAVY DUTY



MODEL	SM-630	SM-630E
Type	Floor Model	Floor Model
Working Width(mm)	585	500
Conveyor Table Length(mm)	1400	1000
Gap between Rollers(mm)	0.3-50	0.3-50
Machine tables are in working position(W*D*H)	3540X1040X1270	2540X950X1270
Machine tables are folded up (W*D*H)	2020X1040X1950	1250X950X1750
Power(kw)	0.75	0.75
Weight(kg)	272	234

DOUGH SHEETER




MODEL	SM2-520S	SM2-520F
Type	TABLE MODEL	TABLE MODEL
Working Width(mm)	500	500
Conveyor Table Length(mm)	670	980
Gap between Rollers(mm)	0.3-30	0.3-30
Machine tables are in working position(mm)	Width	1500
	Depth	2500
	Height	940
Machine tables are folded up(mm)	Width	580
	Depth	1180
	Height	1200
Machine tables are folded up(mm)	Width	850
	Depth	950
	Height	1030
Power(kw)	0.55	1750
Weight(kg)	100	168

PROOFER

MODEL	SM-40SP	SM-32S
Capacity[number of trays]	40	32
Tray Size (mm)	400x600	400x600
Number of Shelves	20	16
Tray Layout		
Dimension(mm)W*D*H	725x1045x2115	725x945x1925
Weight(kg)	133	93
Door	Single Door	Single Door
Total Power(kw)	2	2.3
Control Mode	DIGITAL CONTROL PANEL	Mechanical Control Panel
Outside Panel	Stainless Steel With 30mm Pu Insulation	Stainless Steel Without Pu Insulation



CONVECTION OVEN- GAS & ELECTRICAL



GAS TECHNICAL

ELECTRICAL TECHNICAL

MODEL	SM-705G	SM-710G	SM-705EE	SM-710EE
Capacity[number of trays]	5	10	5	10
Tray Size (mm)	400X600	400X600	400X600	400X600
Shelf Clearance(mm)	90	90	90	90
Dimension(mm)	Width	810	810	780
	Depth	1253	1253	1235
	Height	840	1390	690
Weight(kg)	210	270	159	270
Electric Power(kw)	0.5	1		
Total power			9.5	19
Thermal Output(kcal/h)	8730	17500		
Chamber Panel	stainless steel			
Outside Panel(front side)	stainless steel			
Outside Panel(other sides)	aluminum&zinc-coated steel			

DECK OVEN- GAS & ELECTRIC



GAS TECHNICAL

ELECTRICAL TECHNICAL

MODEL	SM-803T		SM2-523H
number of decks	3		3
number of trays(per deck)	3	2	2
tray size[mm]	400X600	460X760	400X600
tray layout			
external dimension[mm]	Width	1490	1320
	Depth	1150	1090
	Height	1755	1710
baking chamber dimension[mm]	Width	1020	1720
	Depth	805	720
	Height	240	230
weight[kg]	720		600
power per deck(kw)	0.14		5.5
max temperature(c)	300		300
Thermal Output per Deck (kcal/h)	8600		-

JANSHAKTI
Professional Kitchen Experts

Striving for Excellence

BRAND ASSOCIATED WITH US

SINMAG

salva

BUTLER

SPAR MIXER
SPAR

Kolb

Office & Showroom : 49, Chirag Diamond Estate, Beside Pushkar Business Park, Nr. D-Mart, Bapunagar, Ahmedabad-24, Gujarat (India). Email : sales@janshaktiindia.com

Works : Bakrol Bujrang, Ahmedabad, Gujarat 382433.

Experience Center : G.F. Shop No. 11 & 12, Swati Clover, Near Shilaj Circle, Beside Yanki Sizzlers, S.P. Ring Road, Thaltej, Ahmedabad, Gujarat 380054 (INDIA)

www.janshaktiindia.com

For more details : +91 95740 01797 / 92650 45532